

Met Office
September 2014 Pan-Arctic Sea Ice Outlook
August Report (Using July Data)

K. Andrew Peterson*, Ann Keen, Alberto Arribas, Anca Brookshaw, Helene Hewitt, and Adam Scaife

Met Office Hadley Centre, FitzRoy Road, Exeter, EX1 3PB, UK

August 12, 2014

Group: Met Office

Projection Type: Model based estimate.

September Monthly Averaged Extent Projection: $(5.3 \pm 0.6) \times 10^6 \text{ km}^2$

Model: HadGEM3

Ice Component: CICE [Hunke and Lipscomb, 2010], Global Sea Ice 3.0

Ocean Component: NEMO [Madec, 2008], Global Ocean 3.0

Atmospheric Component: Met Office Unified Model (UM) [Brown et al., 2012], Global Atmosphere 3.0

Land Component: JULES [Best et al., 2011], Global Land 3.0

Coupler: OASIS3 [Valcke, 2006]

Method: Ensemble coupled model seasonal forecast from the GloSea5 seasonal prediction system [MacLachlan et al., 2014], using the HadGEM3 coupled model [Hewitt et al., 2011]. Prediction compiled from forecasts centred around 1 August and initialized between 22 July and 11 August (2 per day) from an ocean and sea ice analysis (FOAM/NEMOVAR) [Blockley et al., 2014, Peterson et al., 2014] and an atmospheric analysis (Met Office NWP/4DVar) [Rawlins et al., 2007] using observations from the

*Electronic address: drew.peterson@metoffice.gov.uk; Corresponding author

previous day. Special Sensor Microwave Imager (SSM/I) ice concentration observations from ESA OSI-SAF [OSI-SAF] were assimilated in the ocean and sea ice analysis, along with satellite and in-situ SST, subsurface temperature and salinity profiles, and sea level anomalies from altimeter data. Observational data from 21 July to 10 August were used in the initialization process. No assimilation of ice thickness was performed. The forecast has been bias corrected upward $1.8 \times 10^6 \text{ km}^2$ due to a mean under-forecast of the ice extent relative to the observed NSIDC ice extent over the hindcast period 1996 to 2009 [Peterson et al., 2014].

Projection Uncertainty: $\pm 0.6 \times 10^6 \text{ km}^2$ representing two standard deviations of the (42 member) ensemble spread around the ensemble mean.

Executive Summary: Using the Met Office GloSea5 seasonal forecast systems we have generated a model based mean September sea ice extent outlook of $(5.3 \pm 0.6) \times 10^6 \text{ km}^2$. This has been generated using start dates between 22 July and 11 August to generate an ensemble of 42 members centred around 1 August.

Caveat: The ensemble mean forecast is one of many realizations of possible September sea ice extent produced by the seasonal forecast system. Whilst the system is devised to accurately account for the range of possible outcomes, as expressed by our ensemble spread and uncertainty estimate, there is still a possibility of the actual outcome falling outside this estimate.

Additional Information: Validation and calibration of the forecast was done using a 1996-2009 historical re-forecast (hindcast) using start dates of 25 July, 1 and 9 August (3 members each). Over the hindcast period, the correlation between the GloSea5 forecast and NSIDC sea ice extent observations was 0.94 which reduces to a correlation of 0.74 if the trend is removed from the time series. See the accompanying figure 1 showing the time series of September sea ice predictions in the hindcast, along with the forecast for 2014. Both correlation values are significantly different from 0 at the 95% confidence level with a correlation skill better than both persistence of July anomalies and a linear extrapolation of the September trend. The 1996-2009 ice extent climatology generated by the hindcast was $1.8 \times 10^6 \text{ km}^2$ lower than the 1996-2009 observed climatology. Thus we have adjusted both the hindcast and forecast upward by this amount to account for the model bias. After bias correction, the hindcast has a root mean square error (rmse) of $0.3 \times 10^6 \text{ km}^2$, which is less than the quoted uncertainty. While the correlation skill for this forecast is significantly better than the skill of our June contribution (June correlation skill was 0.86 and 0.33 when detrended), the bias correction required due to systematic model bias for low ice extent was much larger. Since it is difficult to account for the bias in terms of spatial maps of ice concentration, we do not include a spatial plot of the ice concentration and ice edge.




Figure 1: Time series of ensemble mean September sea ice extent from GloSea5 (green \diamond) and NSIDC observations (black \square). Individual ensemble member sea ice extents are denoted by * (green). The green and black horizontal lines denote the hindcast and observed (1996-2009) climatological mean respectively. The forecast and hindcast values have all been adjusted upward by the amount between the two lines ($1.8 \times 10^{12} \text{m}^2$). The green and black dashed lines are the forecast and observed trends in the timeseries over the period 1996-2009.

References

- M. J. Best, M. Pryor, D. B. Clark, G. G. Rooney, R. L. H. Essery, C. B. Ménard, J. M. Edwards, M. A. Hendry, A. Porson, N. Gedney, L. M. Mercado, S. Sitch, E. Blyth, O. Boucher, P. M. Cox, C. S. B. Grimmond, and R. J. Harding. The Joint UK Land Environment Simulator (JULES), model description part 1: Energy and water fluxes. *Geoscientific Model Development*, 4(3):677–699, 2011. doi: 10.5194/gmd-4-677-2011. URL <http://www.geosci-model-dev.net/4/677/2011/>.
- E. W. Blockley, M. J. Martin, A. J. McLaren, A. G. Ryan, J. Waters, D. J. Lea, I. Mirouze, K. A. Peterson, A. Sellar, and D. Storkey. Recent development of the Met Office operational ocean forecasting system: an overview and assessment of the new Global FOAM forecasts. *Geoscientific Model Development Discussions*, 6(4):6219–6278, 2014. doi: 10.5194/gmdd-6-6219-2013. URL <http://www.geosci-model-dev-discuss.net/6/6219/2013/>.

- Andrew Brown, Sean Milton, Mike Cullen, Brian Golding, John Mitchell, and Ann Shelly. Unified modeling and prediction of weather and climate: a 25-year journey. *Bull. Amer. Meteor. Soc.*, 93:18651877, 2012. doi: 10.1175/BAMS-D-12-00018.1. URL <http://dx.doi.org/10.1175/BAMS-D-12-00018.1>.
- H. T. Hewitt, D. Copsey, I. D. Culverwell, C. M. Harris, R. S. R. Hill, A. B. Keen, A. J. McLaren, and E. C. Hunke. Design and implementation of the infrastructure of HadGEM3: the next-generation Met Office climate modelling system. *Geoscientific Model Development*, 4(2):223–253, 2011. doi: 10.5194/gmd-4-223-2011. URL <http://www.geosci-model-dev.net/4/223/2011/>.
- E. C. Hunke and W. H. Lipscomb. CICE: The Los Alamos sea ice model documentation and software users manual, version 4.1. Technical Report LA-CC-06-012, Los Alamos National Laboratory, 2010.
- C. MacLachlan, A. Arribas, K.A. Peterson, A. Maidens, D. Fereday, A.A. Scaife, M. Gordon, M. Vellinga, A. Williams, R. E. Comer, J. Camp, P. Xavier, and G. Madec. Global seasonal forecast system version 5 (GloSea5): a high resolution seasonal forecast system. *Quarterly Journal of the Royal Meteorological Society*, 2014. ISSN 1477-870X. doi: 10.1002/qj.2396. URL <http://dx.doi.org/10.1002/qj.2396>.
- Gurvan Madec. NEMO ocean engine. Technical Report Note du Pole de modélisation No 27, ISSN No 1288-1619, Institut Pierre-Simon Laplace (IPSL), France, 2008.
- OSI-SAF. EUMETSAT Ocean and Sea Ice Satellite Application Facility. Global sea ice concentration reprocessing dataset 1978-2009 (v1.1, 2011). online, 2011. Available from <http://osisaf.met.no>.
- K. Andrew Peterson, A. Arribas, H.T. Hewitt, A.B. Keen, D.J. Lea, and A.J. McLaren. Assessing the forecast skill of Arctic sea ice extent in the GloSea4 seasonal prediction system. *Climate Dynamics*, pages 1–16, 2014. ISSN 0930-7575. doi: 10.1007/s00382-014-2190-9. URL <http://dx.doi.org/10.1007/s00382-014-2190-9>.
- F. Rawlins, S. P. Ballard, K. J. Bovis, A. M. Clayton, D. Li, G. W. Inverarity, A. C. Lorenc, and T. J. Payne. The Met Office global four-dimensional variational data assimilation scheme. *Quarterly Journal of the Royal Meteorological Society*, 133(623):347–362, 2007. ISSN 1477-870X. doi: 10.1002/qj.32. URL <http://dx.doi.org/10.1002/qj.32>.
- S. Valcke. OASIS3 User Guide (prism 2-5). Technical Report PRISM Support Initiative No. 3, 2006.